

Effective: from 03 December 2021
 Applicable: from 12 December 2021

ANNEXES

1. Annex 2.5-2 - Service places affected by service stoppage

The following modifications were made:

Regional Infrastructure Directorate - BUDAPEST

Line number	Statistical number	Service place	Service stoppage				Remarks
			Day	Beginning		End	
145	17707	Tószeg	daily	23:20 23:40	-	3:30 4:30	

2. Annex 7.3.1.2.2 - Availability of station shunting locomotive and shunting staff on the railway network of MÁV Zrt

The following modifications were made:

Number	Name of the service location	Code number of the service location	Operation time
15.	Kaposvár	06288	From 12.12.2021 to 31.12.2021 to 05.01.2022 06:00-16:00; 18:00-04:00

3. Annex 7.3.7 - Wagon weigh bridges (scales)

The following modifications were made:

MÁV Zrt.

Infrastructure Manager Regional Directorate	Number	Station	Service place code	Weighing capacity	Length of bridge	Type		Opening hours	Average weigh capacity (wagon/hour)	Availability of Catenary above the track equipped with scales (yes/no)	Remarks	Effective till
Debrecen	16.	Debrecen	13912	100 t	9+3+9m	electronic	ARDIN	0-24	18	no		To be specified later
	17.	Eperjeske-Átrakó I. vg.	14191	200 t	9+9+3+9m	electronic	ARDIN (AR-D8203)	0-24	18	no		21.04.2022
	18.	Eperjeske-Átrakó XLI. Vg.	14191	120 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	0-24	25	no		23.04.2022
	19.	Eperjeske-Rendező I.sz. automata	44255	120 t	27m	hybrid-hump	ARDIN	0-24	60	no	Broad scales	08.12.2022 15.11.2023
	20.	Eperjeske-Rendező II.sz. automata	44255	120 t	27m	hybrid-hump	ARDIN	0-24	60	no	Broad scales	08.12.2022 15.11.2023
	21.	Eperjeske-Rendező Lapos	44255	150 t	9+5+9m	electronic	ARDIN	0-24	solid:30	no	Broad scales	08.12.2022 18.11.2023
	22.	Karcag	13847	100 t	9+3+9 m	electronic	ARDIN (D43-09B)	0-24	15.jan	yes		09.06.2022
	23.	Mátészalka	15495	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	0-24	10	no		03.06.2022
	24.	Nyíregyháza	14019	100 t	9+3+9m	electronic	ARDIN	0-24	15	no		29.05.2022
	25.	Nyírbátor	15453	100 t	9+3+9 m	electronic	ARDIN	0-24	solid: 18	no		28.04.2022
	26.	Püspökladány	13862	100 t	9,5+1,5+9,5m	electronic	SCHENCK	0-24	10	no		12.11.2022
	27.	Törökszentmiklós	13789	100 t	9+3+9m	electronic	ARDIN (D43-09B)	0-24	10	yes		11.06.2022
	28.	Záhony 70/B vágány	44230	200 t	9+4,5+9m	electronic	ARDIN	0-24	fluid: 20, solid: 30	no	Broad scales	15.11.2023
29.	Záhony-Rendező VIII. vg.	42077	100 t	9+3+9m	electronic	ARDIN	0-24	fluid: 20, solid: 25	yes		24.04.2022	

Pécs	37.	Dombóvár	06189	100 t	9+3+9m	electronic	ARDIN	0-24	10	no		07.08.2022
	38.	Gyékényes	06437	100 t	9+3+9m	electronic	ARDIN	0-24	solid: 15	no		08.09.2022
	39.	Kaposvár	06288	100 t	9+3+9m	electronic	SCHENCK	0-24	8	yes		09.08.2023
	40.	Magyarbóly	07476	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	03.30-23.30	20	no		To be specified later
	41.	Lepsény	03301	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	0-24	20	yes		17.09.2023
	42.	Murakeresztúr	03640	100 t	9+3+9m	electronic	ARDIN	0-24	15	yes		To be specified later
	43.	Nagykanizsa	03624	100 t	9+3+9m	electronic	ARDIN	0-24	20	no		11.09.2022
	44.	Pécsbánya-Rendező	07385	100 t	9+3+9m	electronic	SCHENCK	Mon: 03:00-24:00 Tue-Fri: 0-24 Sat: 00:00-24:00 Sun: 03:00-24:00	20	no		15.05.2022
	45.	Sárbogárd	05926	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	0-24	20	yes		31.08.2023
	46.	Somogyaszob	06379	100 t	9,5+1,5+9,5m	hybrid	MS-DUÁL	0-24	15	no		17.08.2023
47.	Szentlőrinc	07260	100 t	9+3+9m	electronic	ARDIN	Mon-Fri: 0-24:00	20	yes		17.08.2023	

4. Annex 7.3.11 - Public loading sidings and loading areas belonging to these loading sidings - MÁV Zrt.

The following modifications were made:

Debrecen Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no-partly	yes-no	Length (m)	Width (m)					yes - no partly?		
Görögállás	11494	337+50-338+50	none	55-11494-06-1(A)	no	yes	80	8	55-11494-01-1	1.(A)	800	80	yes	18,5	5 km/h, "K" group Loading area can't be used between 11.12.2021-10.12.2022, capacity can't be requested.
Nyírbogdány	14050	204+80 - 205+40	none	55-14050-06-1CS	yes	yes	100	10	55-14050-01-1CS	1.csonka	100	70	yes	21	5 km/h, "K" group Loading area can't be used between 11.12.2021-10.12.2022, capacity can't be requested.
Nyírtelek	11502	401+80-403+90	none	55-11502-06-1	yes	yes	210	4	55-11502-01-1	1.	218	210	yes	18,5	5 km/h, "K" group Loading area can't be used between 11.12.2021-10.12.2022, capacity can't be requested.

Rakamaz	11486	230+86-231+96	none	55-11486-06-1(A)	no	yes	110	15	55-11486-01-1	1.(A)	792	110	yes	18,5	5 km/h, "K" group Loading area can't be used between 11.12.2021-10.12.2022, capacity can't be requested.
Tokaj	11478	170+40 -172+80	none	55-11478-06-1A(A)	yes	yes	300	5	55-11478-01-1A	1.(A)	730	300	yes	18,5	5 km/h, "K" group Loading area can't be used between 11.12.2021-10.12.2022, capacity can't be requested.

Pécs Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
		From section to section			yes-no partly	yes-no	Length (m)	Width (m)					yes - no - partly		
Aba-Sárkeresztúr	04135	144+85-146+00	none	55-04135-06-1	yes	yes	115	25	55-04135-01-1	1.	431	115	no	21	Loading area can only be used until 10.12.2022, capacity can't be requested.
Balatonszentgyörgy	03566	1801+60 -1802+70	none	55-03566-06-8	yes	yes	110	10	55-03566-01-8	8.	180	180	yes	21	Fly shunting is prohibited! Dead end track Loading area can only be used until 10.12.2022, capacity can't be requested.
Bóly	07765	139+24-139+84	none	55-07765-06-4(B)	yes	no	60	12	55-07765-01-4	4.(B)	240	60	no	21	20 km/h Loading area can only be used until 10.12.2022, capacity can't be requested.
Bóly	07765	140+90-141+65	side loading	55-07765-19-4(O)	yes	no	75	12	55-07765-01-4	4.(O)	240	75	no	21	20 km/h Loading area can only be used until 10.12.2022, capacity can't be requested.
Bóly	07765	140+59-141+35	none	55-07765-06-4(A)	yes	no	75	12	55-07765-01-4	4.(A)	240	75	no	21	20 km/h Loading area can only be used until 10.12.2022, capacity can't be requested.
Böhönye	08565	416+06 - 416+26	side loading	55-08565-19-1(O1)	yes	yes	20	8	55-08565-01-1	1.(O1)	275	20	no	18,5	Loading area can only be used until 10.12.2022, capacity can't be requested.
Böhönye	08565	416+26 -416+46	end loading	55-08565-19-5(H1)	yes	yes	20	11	55-08565-01-5	5.(H1)	145	20	no	18,5	Loading area can only be used until 10.12.2022, capacity can't be requested.
Böhönye	08565	415+30-416+05	none	55-08565-06-5	no	no	75	12	55-08565-01-5	5.	145	75	no	18,5	Loading area can only be used until 10.12.2022, capacity can't be requested.
Gyékényes	06437	163+65-164+15	none	55-05579-06-RÉPA	yes	yes	85	40	55-05579-01-RÉPA	répa vágány	98	85	no	21	Loading area can only be used until 10.12.2022, capacity can't be requested.
Karád	08318	494+60-495+10	none	55-08318-06-1	no	yes	50	15	55-08318-01-1	1.	180	50	no	19	10 km/h Loading area can only be used until 10.12.2022, capacity can't be requested.

Mesztegyő	08573	303+40-304+00	side loading	55-08573-19-1(O)	yes	no	60	20	55-08573-01-1	1.(O)	240	60	no	18,5	Loading area can only be used until 10.12.2022, capacity can't be requested.
Mohács	07781	0+59 - 1+29	none	55-07781-06-12	yes	no	70	15	55-07781-01-12	12.	150	70	no	18,5	5 Km/h. Can't be used until 31.12.2021 due to technical reasons. Loading area can only be used until 31.12.2022, capacity can't be requested.
Mohács	07781	0+00 - 1+20	none	55-07781-06-7	yes	yes	120	4	55-07781-01-7	7.	120	74	no	21	5 Km/h. Can't be used until 31.12.2021 due to technical reasons. Loading area can only be used until 31.12.2022, capacity can't be requested.
Nagyatád	08631	21+60-22+70	none	55-08631-06-5	yes	no	110	10	55-08631-01-5	5.	256	110	no	21	5 km/h Loading area can only be used until 10.12.2022, capacity can't be requested.
Nagyatád	08631	21+60-22+70	none	55-08631-06-6 (A)	yes	no	110	12	55-08631-01-6	6.(A)	362	110	no	24	5 km/h
Nagyatád	08631	22+75-24+68	none	55-08631-06-6 (B)	yes	no	193	28	55-08631-01-6	6.(B)	362	193	no	24	5 km/h
Nagyatád	08631	21+60-24+68	none	55-08631-06-6	yes	no	110 193	12 28	55-08631-01-6	6.	362	303	no	21	5 km/h
Szakály-Högyész	06130	1298+45-1298+70	end loading	55-06130-19-7(H)	yes	yes	25	10	55-06130-01-7	7.(H)	221	25	yes	21	5 km/h Loading area can only be used until 10.12.2022, capacity can't be requested.
Szakály-Högyész	06130	1298+90-1300+85	none	55-06130-06-7	yes	yes	195	14	55-06130-01-7	7.	221	195	yes	21	5 km/h Loading area can only be used until 10.12.2022, capacity can't be requested.
Szentlőrinc	07260	234+48-235+30	side loading	55-07260-19-9(O1)	yes	yes	82	10	55-07260-01-9	9.(O1)	510	82	yes	21	"K"sign track, side loading ramp stretches into clearance 5 km/h 5 km/h Loading area can only be used until 10.12.2022, capacity can't be requested.
Tab	08342	688+55-689+40	none	55-08342-06-1(B)	yes	yes	85	13	55-08342-01-1	1.(B)	331	85	no	18,5	20 km/h Loading area can only be used until 10.12.2022, capacity can't be requested.
Tab	08342	690+26-691+80	none	55-08342-06-1(A)	yes	yes	154	23	55-08342-01-1	1.(A)	331	154	no	18,5	20 km/h Loading area can only be used until 10.12.2022, capacity can't be requested.
Tab	08342	690+11-690+26	side loading	55-08342-19-1(O)	yes	yes	15	5	55-08342-01-1	1.(O)	331	15	no	18,5	20 km/h Loading area can only be used until 10.12.2022, capacity can't be requested.
Villány	07468	306+80-307+60	none	55-07468-06-9(A)	no	yes	80	20	55-07468-01-9	9.(A)	198	80	no	21	10 km/h Loading area can only be used until 10.12.2022, capacity can't be requested.
Villány	07468	307+83-308+83	none	55-07468-06-9(B)	yes	yes	100	10	55-07468-01-9	9.(B)	198	100	no	21	10 km/h Loading area can only be used until 10.12.2022, capacity can't be requested.