

Effective: from 8 February 2022  
 Applicable: from 11 December 2022

**ANNEXES**

**1. Annex 2.3-3 - Position of stations and service places on railway lines; main technical and operational characteristics**

The following modifications were made:

Line number	IT Line number	Name of the service place	Statistical number of service place	Platform														
				Number / name	Function (passenger/freight/other)	Electrified (yes/no/partly)	Length (m)	Through main line (yes/no)	Designated to go-round (yes/no)	length/width/height of platform (m)	Qualified as occupied by persons (yes/no)	Designated for storage (yes/no)	Preheating/precooling (yes/no)	Connection to electric power (yes/no)	Water supply (yes/no)	Connection to sewer (yes/no)	Equipped with inspection pit (yes/no)	
153	153	Kiskőrös C jelző menetrendi pont	16263	—	—	no	—	—	—	—	—	—	—	—	—	—	—	—
				l.	other	no	700	yes	no	—	—	no	—	—	—	—	—	—

**2. Annex 2.3-6 - Traffic characteristics of stations and service places, ruling gradients, maximum and minimum gradients of railway lines - MÁV Zrt**

The following modifications were made:

Line number	Statistical number of service place	Name of service place	Traffic controlling place	Staffless	Remote controlled/Remote operated	Type of signalling tool	Suitable for train crossing	Spacing order	Maximum gradient (up) (%)		Maximum gradient (down) (%)		Ruling gradient (%)		Ruling down-gradient (%)	
									towards endpoint	towards starting point	towards endpoint	towards starting point	towards endpoint	towards starting point	towards endpoint	towards starting point
153	16261	Kiskőrös	yes	no	no	Domino 55	yes	-	0		0 2,7		0		3 0	
153	16263	Kiskőrös C jelző menetrendi pont	no	yes	no	no signalling tool	no	-	2,2	2,7	2,9	0	2,8	3,3	2	0
153	16543	Kecel	no	yes	no	other station or junction signalling tool	no	station distance	3,7 3,6	0 2,9	6 5,9	0 2,2	3,7 4,2	0 2,9	3 2	3 1
153	16550	Öregcsertő	no	yes	no	light signals (non secured)	no	station distance	3,5 3	6 5,9	0 3,5	3,7 3,6	3,5	6 6,5	3 2	3 2
153	16568	Kalocsa	no	yes	no	form signal (non secured)	no	station distance		0 3,5		3,5 3		0 3,0		3 1,6

## 3. Annex 5.2-4 - Service place categories and line categories of MÁV Zrt.

The following modifications were made:

Line number according to NS	IT line number	Sservice place code	Name of the service place	Chargeable kilometres	Station category for passenger trains	Station category for freight trains	Line category	Start/end of the train path	Request stop available
153	153	16263	Kiskőrös C jelző menetrendi pont	0,1	0	0	3	Igen	Nem

## 4. Annex 7.3-11 - Public loading sidings and loading areas belonging to these loading sidings - MÁV Zrt.

The following modifications were made:

Pécs Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place From section to section	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary yes / no partly?	Axle load (t)	
					yes-no partly	yes-no	Length (m)	Width (m)							
Aba-Sárkeresztúr	04135	144+85-146+00	none	55-04135-06-1	yes	yes	115	25	55-04135-01-1	1.	431	115	no	21	Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Balatonszentgyörgy	03566	1799+80-1802+67	none	55-03566-06-9(B)	yes	yes	207 70	7 16	55-03566-01-9	9.(B)	282	252	részben	21	Fly shunting is prohibited! Dead end track 5 km/h Serving is possible only with diesel locomotive
Balatonszentgyörgy	03566	1801+60-1802+70	none	55-03566-06-8	yes	yes	110	10	55-03566-01-8	8.	180	180	igen	21	Fly shunting is prohibited! Dead end track Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Bóly	07765	139+24-139+84	none	55-07765-06-4(B)	yes	no	60	12	55-07765-01-4	4.(B)	240	60	no	21	20 km/h Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Bóly	07765	140+90-141+65	side loading	55-07765-19-4(O)	yes	no	75	12	55-07765-01-4	4.(O)	240	75	no	21	20 km/h Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Bóly	07765	140+59-141+35	none	55-07765-06-4(A)	yes	no	75	12	55-07765-01-4	4.(A)	240	75	no	21	20 km/h Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Böhönye	08565	416+06 - 416+26	side loading	55-08565-19-1(O1)	yes	yes	20	8	55-08565-01-1	1.(O1)	275	20	no	18,5	Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Böhönye	08565	416+26 - 416+46	end loading	55-08565-19-5(H1)	yes	yes	20	11	55-08565-01-5	5.(H1)	145	20	no	18,5	Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Böhönye	08565	415+30-416+05	none	55-08565-06-5	no	no	75	12	55-08565-01-5	5.	145	75	no	18,5	Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Csurgó	06411	896+10 - 896+73	side loading	55-06411-19-1(O1)	yes	yes	30; 33	2; 15	55-06411-01-1	1.(O1)	708	63	yes	21	5 km/h
Dombóvár alsó	06197	15+80-18+10	none	55-06197-06-7	no	no yes	230	7	55-06197-01-7	7.	330	230	no	21	Loading area can only be used between 01. March and 15. November. 20 km/h

Pécs Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places						Restrictions, remarks
	Code of the service place	Position of the service place From section to section	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary	Axle load (t)	
					yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Gyékényes	06437	163+65-164+15	none	55-05579-06-RÉPA	yes	yes	85	40	55-05579-01-RÉPA	répa vágány	98	85	no	21	Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Karád	08318	494+60-495+10	none	55-08318-06-1	no	yes	50	15	55-08318-01-1	1.	180	50	no	19	10 km/h Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Kurd	06163	1407+19 - 1408+29	none	55-06163-06-1(A)	yes	yes	110	6	55-06163-01-1	1.(A)	588	110	yes no	21	10 km/h
Kurd	06163	1410+15-1410+90	none	55-06163-06-1(B)	yes	yes	75	25	55-06163-01-1	1.(B)	588	75	yes no	21	10 km/h
Mesztegyő	08573	303+40-304+00	side loading	55-08573-19-1(O)	yes	no	60	20	55-08573-01-1	1.(O)	240	60	no	18,5	Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Mohács	07781	0+59 - 1+29	none	55-07781-06-12	yes	no	70	15	55-07781-01-12	12.	150	70	no	18,5	5 km/h Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Mohács	07781	0+00 - 1+20	none	55-07781-06-7	yes	yes	120	4	55-07781-01-7	7.	120	74	no	21	5 km/h Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Nagyatád	08631	21+60-22+70	none	55-08631-06-5	yes	no	110	10	55-08631-01-5	5.	256	110	no	21	5 km/h Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Nagyatád	08631	21+60-22+70	none	55-08631-06-6 (A)	yes	no	110	12	55-08631-01-6	6-(A)	362	110	no	21	5 km/h
Nagyatád	08631	22+75-24+68	none	55-08631-06-6 (B)	yes	no	193	28	55-08631-01-6	6-(B)	362	193	no	24	5 km/h
Nagyatád	08631	21+60-24+68	none	55-08631-06-6	yes	no	110; 193	12; 28	55-08631-01-6	6.	362	303	no	21	5 km/h
Sásd	07203	1727+10-1727+50	none	55-07203-06-1(C)	yes	yes	40	8	55-07203-01-1	1.(C)	645	40	yes no	21	10 km/h
Sásd	07203	1723+03 - 1724+33	none	55-07203-06-1(B)	yes	yes	130	10	55-07203-01-1	1.(B)	645	130	yes no	21	10 km/h
Sásd	07203	1721+65 - 1723+03	none	55-07203-06-1(A)	yes	yes	138	4	55-07203-01-1	1.(A)	645	138	yes no	21	10 km/h
Sárbogárd	05926	790-50-791+50 790+60-791+90	none	55-05926-06-1	yes	yes	100 130	10	55-05926-01-1	1.	415	100 130	yes	21	There is a wagon weigh bridge (100 t) on the end point side of the track. "K" sign dead end track, Fly shunting is prohibited, side loading ramp stretches into clearance. 20 km/h
Sárbogárd	05926	789+90-790+24 789+30-789+97	side loading	55-05926-19-1(O)	yes	yes	19	15	55-05926-01-1	1.(O)	415	19	yes	21	There is a wagon weigh bridge (100 t) on the end point side of the track. "K" sign dead end track, Fly shunting is prohibited, side loading ramp stretches into clearance. 20 km/h

Pécs Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places					Restrictions, remarks	
	Code of the service place	Position of the service place From section to section	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary		Axle load (t)
					yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Sárbogárd	05926	788-93-789+50 789+30-789+97	side loading	55-05926-19-12(O1)	yes	yes	57 67	8 7	55-05926-01-12	12.(O1)	218	25 67	no	21	10 km/h "K" sign dead end track, Fly shunting is prohibited, side loading ramp stretches into clearance.
Sárbogárd	05926	789+00-790+00 789+30-790+48	none	55-05926-06-12 (A)	yes no	yes	400 118	10	55-05926-01-12	12.(A)	218	493 118	no	21	10 km/h "K" sign dead end track, Fly shunting is prohibited, side loading ramp stretches into clearance.
Sárbogárd	05926	790-50-791+50 790+84-792+24	none	55-05926-06-12 (B)	yes	yes	400 140	10	55-05926-01-12	12.(B)	218	400 140	no partly	21	10 km/h "K" sign dead end track, Fly shunting is prohibited, side loading ramp stretches into clearance.
Sárbogárd	05926	790-00-790+50 789+97-790+49	none	55-05926-06-13	yes	yes	50	10	55-05926-01-13	13.	52	27 52	no	21	10 km/h "K" sign dead end track, Fly shunting is prohibited, side loading ramp stretches into clearance.
Sárbogárd	05926	790-790+50 789+30-789+97	end loading	55-05926-19-13(H1)	yes	yes	57 67	8 7	55-05926-01-13	13.(H1)	52	25 67	no	21	10 km/h "K" sign dead end track, Fly shunting is prohibited, side loading ramp stretches into clearance.
Sárosd	05892	618+00-621+00 619+09-621+00	none	55-05892-06-1	yes	yes	300 191	48 19	55-05892-01-1	1.	720	300 191	yes no	21	10 km/h
Sárosd	05892	623+82-623+97 623+65-623+80	side loading	55-05892-19-1(O)	yes	yes	15	10	55-05892-01-1	1.(O)	720	15	yes no	21	10 km/h
Simontornya	05967	968+65-973+72	none	55-05967-06-6	yes	no	507	17	55-05967-01-6	6.	640	507	yes no	21	10 km/h
Szakály-Högyész	06130	1298+45-1298+70	end loading	55-06130-19-7(H)	yes no	yes	25	10	55-06130-01-7	7.(H)	221	25	yes no	21	5 km/h Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Szakály-Högyész	06130	1298+90-1300+85	none	55-06130-06-7	yes no	yes	195	14	55-06130-01-7	7.	221	195	yes no	21	5 km/h Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Szentlőrinc	07260	234+48-235+30	side loading	55-07260-19-9(O1)	yes	yes	82	10	55-07260-01-9	9.(O1)	510	82	yes	21	"K"sign track, side loading ramp stretches into clearance 5 km/h 5 km/h Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.

Pécs Regional Directorate

Service place	Open access loading place registered by MÁV Zrt								Loading track next to loading places					Restrictions, remarks	
	Code of the service place	Position of the service place From section to section	Loading and other equipments	TAF TSI ID of the loading and other equipment	Paved	Lighting	Size		TAF TSI ID	Name of the track	Usable length (m)	Loading length (m)	Availability of catenary		Axle load (t)
					yes-no-partly	yes-no	Length (m)	Width (m)					yes / no partly?		
Tab	08342	688+55-689+40	none	55-08342-06-1(B)	yes	yes	85	13	55-08342-01-1	1.(B)	331	85	no	18,5	20 km/h Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Tab	08342	690+26-691+80	none	55-08342-06-1(A)	yes	yes	154	23	55-08342-01-1	1.(A)	331	154	no	18,5	20 km/h Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Tab	08342	690+11-690+26	side loading	55-08342-19-1(O)	yes	yes	15	5	55-08342-01-1	1.(O)	331	15	no	18,5	20 km/h Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Tamási	06890	121+02 - 122+56	none	55-06890-06-4	yes	no yes	154	10	55-06890-01-4	4.	127	127	no	21	5 km/h
Tamási	06890	122+46 - 124+00	none	55-06890-06-5	yes	no yes	154	10	55-06890-01-5	5.	331	154	no	21	5 km/h
Tamási	06890	121+66 - 122+91	none	55-06890-06-1	no	no yes	125	5	55-06890-01-1	1.	240	125	no	21	5 km/h
Villány	07468	306+80-307+60	none	55-07468-06-9(A)	no	yes	80	20	55-07468-01-9	9.(A)	198	80	no	21	10 km/h Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.
Villány	07468	307+83-308+83	none	55-07468-06-9(B)	yes	yes	100	10	55-07468-01-9	9.(B)	198	100	no	21	10 km/h Loading area can't be used between 2022.12.11 - 2023.12.09. Capacity can not be requested.