



## 2. 2.3.3 Position of stations and service places on railway lines; main technical and operational characteristics

The following modification was made:

Line number	IT Line number	Name of the service place	Statistical number of service place	Platform													
				Number /name	Function (passenger /freight/other)	Electrified (yes/no /partly)	Length (m)¹	Through main line (yes/no)	Designated to go-round (yes/no)	length/width/height of platform (m)	Qualified as occupied by persons (yes/no)	Designated for storage (yes/no)	Preheating/precooling (yes/no)	Connection to electric power (yes/no)	Water supply (yes/no)	Connection to sewer (yes/no)	Equipped with inspection pit (yes/no)
				Stadion csonka	pulling track	yes	80	no	no	—	—	no	no	no	no	no	no
				75	pulling track	yes	260	no	no	—	—	yes	no	no	no	no	no
				76	storage	partly	170	no	no	—	—	yes	no	no	no	no	no
				77	storage	no	110	no	no	—	—	yes	no	no	no	no	no
				90	storage	yes	362	no	no	—	—	yes	no	no	no	no	no
				91	storage	yes	375 374	no	no	—	—	yes	no	no	no	no	no
				92	storage	yes	396 374	no	no	—	—	yes	no	no	no	no	no
				93	storage	yes	358 328	no	no	—	—	yes	no	no	no	no	no
				94	storage	yes	379 327	no	no	—	—	yes	no	no	no	no	no
				95	storage, for storage of litter wagon	no	40 24	no	no	—	—	yes	no	no	no	no	no
				31	storage	yes	246	no	no	—	—	yes	yes	no	yes	yes	no
				42	workshop track	no	28	no	no	—	—	no	no	no	no	no	no
				43	workshop track	no	42	no	no	—	—	no	no	no	no	no	no
				44	workshop track	no	176	no	no	—	—	no	no	no	no	no	no
				78	storage	yes	70	no	no	—	—	yes	no	no	no	no	no
				80	connecting track storage	yes	199 121	no	no	—	—	no yes	no	no	no	no	no
				81	storage	yes	230	no	no	—	—	yes	no	no	no	no	no
				82	storage	yes	266	no	no	—	—	yes	no	no	no	no	no
				83	carriage washing machine	no	299	no	no	—	—	no	no	no	no	yes	no
				Keleti kihúzó	pulling track	yes	80	no	no	—	—	no	no	no	no	yes	no

3. 2.3.6.1 Traffic characteristics of stations and service places, ruling gradients, maximum and minimum gradients of railway lines - MÁV Zrt

The following modification was made:

Line number	Statistical number of service place	Name of service place	Traffic controlling place	Staffless	Remote controlled/Remote operated	Type of signalling tool	Suitable for train crossing	Spacing order	Maximum gradient (up) (%)		Maximum gradient (down) (%)		Ruling gradient (%)		Ruling down-gradient (%)	
									towards endpoint	towards starting point	towards endpoint	towards starting point	towards endpoint	towards starting point	towards endpoint	towards starting point
80	10017	Budapest-Keleti	yes	no	no	Domino 70	yes	-	40,4 10,2		0		6,3 11,3		4 0	
80	10066	Kőbánya felső	yes	no	no	VES	yes	automatic spacing - train protection	5	0	3,4	40,4 10,2	6	4 0	4,4	6,3